



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/674,875	09/29/2003	Bernard Rummel	09700.0063	9206

22852 7590 07/18/2006

FINNEGAN, HENDERSON, FARABOW, GARRETT & DUNNER
LLP
901 NEW YORK AVENUE, NW
WASHINGTON, DC 20001-4413

EXAMINER

WATT, CHRIS A

ART UNIT PAPER NUMBER

2179

DATE MAILED: 07/18/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

10/674,875

Applicant(s)

RUMMEL ET AL.

Examiner

Chris Watt

Art Unit

2179

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 29 September 2003.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-15 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-15 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 29 September 2003 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Claim Rejections - 35 USC § 102

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

2. Claims 1-15 are rejected under 35 U.S.C. 102(b) as being anticipated by Coleman et. al (U.S. Patent No. 5,828,374).

As to claim 1, Coleman teaches a computer program product (FIGURE 1, col. 7 lines 52-55), tangibly embodied in an information carrier (50, 52, 55, 60, 62), comprising instructions operable to cause data processing apparatus (52, col. 7 lines 45-47) to display application data (138, col. 9 lines 41-45) in user interface elements (i.e. 176, "working area" 145, 150), the user interface elements comprising two or more independent elements (176, "plurality of letters" col. 11 lines 4-7) and one or more dependent elements (170, col. 9 lines 53-55), where one of the independent elements (176, "plurality of letters" col. 11 lines 4-7) can have the property of being the selected element (175, col. 9 lines 60-64, col. 10 lines 7-8), and where the application data displayed in the dependent elements (170, col. 9 lines 60-62) is made to correspond to the application data displayed in the selected element (170, 175, 176, col. 10 lines 7-8), receive user input from a user (col. 11 lines 20-28) to establish a normal mode ("releases switch" col. 11 lines 20-23) or a decoupled mode ("depressing switch" col. 11 lines 20-23) of user interface operation, and receive navigation input ("dragging the

Art Unit: 2179

cursor and slider" col. 11 lines 20-23) to navigate from one user interface element to another user interface element ("over the desired letter" col. 11 lines 20-23), where in the normal mode ("releases switch" col. 11 lines 20-23), navigation to an independent element ("over the desired letter" col. 11 lines 20-23) causes the independent element to become the selected element ("a letter may be selected by ..." col. 11 lines 20-23), and where in the decoupled mode ("depressing switch" col. 11 lines 20-23), navigation to an independent element ("dragging the cursor and slider over the desired letter" col. 11 lines 20-23) does not change which, if any, of the independent elements ("plurality of letters" col. 11 lines 4-7) is the selected element ("at which point the user releases the switch" col. 11 lines 20-23, also note element not selected beneath cursor 44 in FIGURE 5).

As to claim 8, Coleman teaches a computer implemented method (FIGURES 18-19d), comprising: displaying application data in user interface elements (i.e. 176, "working area" 145, 150), the user interface elements comprising two or more independent elements (176, "plurality of letters" col. 11 lines 4-7) and one or more dependent elements (170, col. 9 lines 53-55), where one of the independent elements (176, "plurality of letters" col. 11 lines 4-7) can have the property of being the selected element (175, col. 9 lines 6-64, col. 10 lines 7-8), and where the application data displayed in the dependent elements (170, col. 9 lines 60-62) is made to correspond to the application data displayed in the selected element (170, 175, 176, col. 10 lines 7-8), receiving user input from a user (col. 11 lines 20-28) to establish a normal mode ("releases switch" col. 11 lines 20-23) or a decoupled mode ("depressing switch" col. 11

Art Unit: 2179

lines 20-23) of user interface operation, and receiving navigation input ("dragging the cursor and slider" col. 11 lines 20-23) to navigate from one user interface element to another user interface element ("over the desired letter", col. 11 lines 20-23), where in the normal mode ("releases switch" col. 11 lines 20-23), navigation to an independent element ("over the desired letter" col. 11 lines 20-23) causes the independent element to become the selected element ("a letter may be selected by ..." col. 11 lines 20-23), and where in the decoupled mode ("depressing switch" col. 11 lines 20-23), navigation to an independent element ("dragging the cursor and slider over the desired letter" col. 11 lines 20-23) does not change which, if any, of the independent elements ("plurality of letters" col. 11 lines 4-7) is the selected element ("at which point the user releases the switch" col. 11 lines 20-23, also note element not selected beneath cursor 44 in FIGURE 5).

As to claim 15, Coleman teaches an apparatus comprising: means for displaying application data (138, col. 9 lines 41-45) in user interface elements (i.e. 176, "working area" 145, 150), the user interface elements comprising two or more independent elements (176, "plurality of letters" col. 11 lines 4-7) and one or more dependent elements (170, col. 9 lines 53-55), where one of the independent elements (176, "plurality of letters" col. 11 lines 4-7) can have the property of being the selected element (175, col. 9 lines 60-64, col. 10 lines 7-8), and where the application data displayed in the dependent elements (170, col. 9 lines 60-62) is made to correspond to the application data displayed in the selected element (170, 175, 176, col. 10 lines 7-8), means for receiving user input from a user (col. 11 lines 20-28) to establish a normal

Art Unit: 2179

mode ("releases switch" col. 11 lines 20-23) or a decoupled mode ("depressing switch" col. 11 lines 20-23) of user interface operation; and means for receiving navigation input ("dragging the cursor and slider" col. 11 lines 20-23) to navigate from one user interface element to another user interface element ("over the desired letter" col. 11 lines 20-23), where in the normal mode ("releases switch" col. 11 lines 20-23), navigation to an independent element ("dragging the cursor and slider over the desired letter" col. 11 lines 20-23) causes the independent element to become the selected element ("a letter may be selected by ..." col. 11 lines 20-23), and where in the decoupled mode ("depressing switch" col. 11 lines 20-23), navigation to an independent element ("dragging the cursor and slider over the desired letter" col. 11 lines 20-23) does not change which, if any, of the independent elements ("plurality of letters" col. 11 lines 4-7) is the selected element ("at which point the user releases the switch" col. 11 lines 20-23, also note element not selected beneath cursor 44 in FIGURE 5).

As to claim 2, Coleman teaches the computer program product of claim 1, further comprising instructions operable to: receive user input from a user ("dragging the cursor and slider" col. 11 lines 20-23) switching to the normal mode ("releases switch" col. 11 lines 20-23) from the decoupled mode ("depressing switch" col. 11 lines 20-23) and thereupon cause the independent element specified by the most recently received navigation input ("over the desired letter" col. 11 lines 20-23) to become the selected element ("a letter may be selected by ..." col. 11 lines 20-23).

As to claim 3, Coleman teaches the computer program product of claim 1, further comprising instructions operable to: establish the decoupled mode ("depressing switch"

Art Unit: 2179

col. 11 lines 20-23, see also col. 7 lines 1-10) when a key (e.g. 175 "F" in FIGURES 10-11, see also col. 11 lines 24-28) is pressed and held by the user ("depressing a desired character key on the keyboard" col. 11 lines 24-28), and establish the normal mode when the key is released by the user ("releases switch" col. 11 lines 20-23).

As to claim 4, Coleman teaches the computer program product of claim 3, wherein the key (e.g. 175 "F" in FIGURES 9-11, see also col. 11 lines 24-28) comprises a control key on a keyboard ("cursor control means includes ... a switch having a first position and second position ... such as ... keyboard inputs" col. 7 lines 1-10).

As to claim 5, Coleman teaches the computer program product of claim 1, further comprising instructions operable to: display application data in a table (i.e. table within "access window" 130) having two or more rows (i.e. row for "alpha scroll bar" 176 and rows for "topic area" 160) and one or more detail views (i.e. "working area" 145, 150), the rows being the independent elements and the one or more detail views being the dependent elements (i.e. note how dependent elements in detail view including "files" displayed when independent element "F" selected), where if one of the rows (i.e. row for "alpha scroll bar" 176 and rows for "topic area" 160) is the selected element (i.e. "F" and "files" respectively in FIGURES 10-11), the application data displayed in the detail views (i.e. "index entries" (i.e. "files" in FIGURES 10-11) and "phrases" (i.e. "find a file or folder?" in FIGURE 11) respectively in figures 10-11) is made to correspond to the application data displayed in the selected element (i.e. all "index entries" related to "F" are displayed, all "phrases" (i.e. "find a file or folder?" in FIGURE 11) related to "files" are displayed).

As to claim 6, Coleman teaches the computer program product of claim 1, wherein the dependent elements (i.e. "working area" 145, 150) include first level elements ("index entries" FIGURES 10-11) and second level elements ("phrase" FIGURES 10-11), where one of the first level elements can have the property of being the first level selected element (i.e. "files" in FIGURES 10-11), and where the application data displayed in the second level elements is made to correspond to the application data displayed in the first level selected element (i.e. "How do I ... find a file or folder?" in FIGURE 11), further comprising instructions operable to: receive user input to navigate to first level elements (i.e. "placement of the cursor 44 over an entry" col. 10 lines 9-10), where in the normal mode (i.e. "momentary clicking of the switch on the mouse col. 10 lines" 10-11), navigation to a first level element (i.e. "placement of the cursor over an entry" col. 10 lines 9-10) causes the first level element to become the selected element (i.e. note outline around "files" in figures 10-11), and where in the decoupled mode ("user releases the switch on the mouse" col. 10 lines 6-7), navigation to a first level element ("placement of the cursor over an entry" col. 10 lines 9-10) does not change which, if any, of the first level elements is the selected element (i.e. note element not selected beneath cursor 44 in FIGURE 5).

As to claim 7, Coleman teaches the computer program product of claim 6, further comprising instructions operable to: receive user input (i.e. "placement of the cursor over an entry" col. 10 lines 9-10) from a user switching to the normal mode (i.e. "momentary clicking of the switch on the mouse col. 10 lines" 10-11) from the decoupled mode ("user releases the switch on the mouse" col. 10 lines 6-7) and

Art Unit: 2179

thereupon cause the first level element specified by the most recently received navigation input (i.e. "placement of the cursor over an entry" col. 10 lines 9-10) to become the first level selected element (i.e. note cursor 44 selecting "files" in FIGURE 10).

As to claim 9, Coleman teaches the method of claim 8, further comprising: receiving user input from a user ("dragging the cursor and slider" col. 11 lines 20-23) switching to the normal mode ("releases switch" col. 11 lines 20-23) from the decoupled mode ("depressing switch" col. 11 lines 20-23) and thereupon cause the independent element specified by the most recently received navigation input ("over the desired letter" col. 11 lines 20-23) to become the selected element ("a letter may be selected by ..." col. 11 lines 20-23).

As to claim 10, Coleman teaches the method of claim 8, further comprising: establishing the decoupled mode ("depressing switch" col. 11 lines 20-23, see also col. 7 lines 1-10) when a key is pressed and held by the user ("depressing a desired character key on the keyboard" col. 11 lines 24-28); and establishing the normal mode when the key is released by the user ("releases switch" col. 11 lines 20-23).

As to claim 11, Coleman teaches the method of claim 10, wherein the key (e.g. 175 "F" in FIGURES 9-11, see also col. 11 lines 24-28) comprises a control key on a keyboard ("cursor control means includes ... a switch having a first position and second position ... such as ... keyboard inputs" col. 7 lines 1-10).

As to claim 12, Coleman teaches the method of claim 8, further comprising: displaying application data in a table (i.e. table within "access window" 130) having two

Art Unit: 2179

or more rows (i.e. row for "alpha scroll bar" 176 and rows for "topic area" 160) and one or more detail views (i.e. "working area" 145, 150), the rows being the independent elements and the one or more detail views being the dependent elements (i.e. note how dependent elements in detail view including "files" displayed when independent element "F" selected), where if one of the rows (i.e. row for "alpha scroll bar" 176 and rows for "topic area" 160) is the selected element (i.e. "F" and "files" respectively in FIGURES 10-11), the application data displayed in the detail views (i.e. "index entries" (i.e. "files" in FIGURES 10-11) and "phrases" (i.e. "find a file or folder?" in FIGURE 11) respectively in figures 10-11) is made to correspond to the application data displayed in the selected element (i.e. all "index entries" related to "F" are displayed, all "phrases" (i.e. "find a file or folder?" in FIGURE 11) related to "files" are displayed).

As to claim 13, Coleman teaches the method of claim 8, wherein the dependent elements (i.e. "working area" 145, 150) include first level elements ("index entries" FIGURES 10-11) and second level elements ("phrase" FIGURES 10-11), where one of the first level elements can have the property of being the first level selected element (i.e. "files" in FIGURES 10-11), and where the application data displayed in the second level elements is made to correspond to the application data displayed in the first level selected element (i.e. "How do I ... find a file or folder?" in FIGURE 11), the method further comprising: receiving user input to navigate to first level elements (i.e. "placement of the cursor 44 over an entry" col. 10 lines 9-10) where in the normal mode (i.e. "momentary clicking of the switch on the mouse col. 10 lines" 10-11), navigation to a first level element ("placement of the cursor over an entry" col. 10 lines 9-10) causes

the first level element to become the selected element (i.e. note outline around "files" in figures 10-11), and where in the decoupled mode ("user releases the switch on the mouse" col. 10 lines 6-7), navigation to a first level element ("placement of the cursor over an entry" col. 10 lines 9-10) does not change which, if any, of the first level elements is the selected element (i.e. note element not selected beneath cursor 44 in FIGURE 5).

As to claim 14, Coleman teaches the method of claim 13, further comprising: receiving user input from a user (i.e. "placement of the cursor over an entry" col. 10 lines 9-10) switching to the normal mode (i.e. "momentary clicking of the switch on the mouse col. 10 lines" 10-11) from the decoupled mode ("user releases the switch on the mouse" col. 10 lines 6-7) and thereupon cause the first level element specified by the most recently received navigation input (i.e. "placement of the cursor over an entry" col. 10 lines 9-10) to become the first level selected element (i.e. note cursor 44 selecting "files" in FIGURE 10).

Conclusion

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Kino et al. (U.S. Patent No. 6,469,719) teach menu items in a GUI screen, which include dependent menus from independent menus.

Inquiry


Any inquiry concerning this communication or earlier communications from the examiner should be directed to Chris Watt whose telephone number is (703) 270-1046. The examiner can normally be reached on 579.

Art Unit: 2179

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Chanh Nguyen can be reached on (703) 270-0000. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.


Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Chris Watt



July 3, 2006

CAW


CHANH NGUYEN
PRIMARY EXAMINER